ELSEVIER

Journal of Materials Processing Technology 178 (2006) 395

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 178

Acır, A., 241
Ahmad, M.H.M., 29, 34, 39
Aksoy, M., 211
Akter, S., 98
Arasanz, B., 369
Aretxabaleta, L., 369
Aurrekoetxea, J., 369

Ballas, M.W., 88
Bandyopadhyay, T.K., 335
Barletta, M., 170
Behdinan, K., 307, 317
Behera, B.B., 388
Bilovol, V.V., 194
Boey, F.Y.C., 270
Bontha, S., 135

Carvalho, S.R., 379
Cerah, M., 44
Chen, C.-k., 297
Chen, J.Z., 251
Chmura, W., 188
Cruz, H., 128

Das, K., 335
Deng, J., 19
Ding, B., 283
Ding, K., 162
Duan, C.Z., 274
Duan, Z., 19
Duszczyk, J., 194

Erdogan, M., 44
Es-Saheb, M.H., 143

Farson, D.F., 251
Fillit, R.-Y., 154
Fraser, H.L., 135
Fukuzawa, Y., 358

García-Quesada, J.C., 350
Gasparyan, S., 14
Gassara, F., 111
Geng, S.D., 247
Geng, S.J., 247
Ghaemi, H., 307, 317
Gonzalez, C., 128
Gordillo, A., 369
Grant, P.S., 259
Gronostajski, Z., 188
Guimarães, G., 379
Guo, J.-H., 278
Guo, Y., 283

Hambli, R., 111
Hamouda, A.M.S., 29, 34, 39
Hashmi, M.S.J., 98
Herrera, M., 128
Huang, M.F., 1
Hwang, K.-S., 61

Ilegbusi, O.J., 88

Jansson, T., 218
Jeong, H., 82
Jonas, J.J., 181
Juarez, J., 128
Juárez, A., 128
Jutriša, G., 328

Kan, C.W., 52
Kang, B.-A., 61
Karakaş, M.S., 241
Katgerman, L., 194
Khanfir, H., 154
Kim, H., 82
Kim, S.-B., 61
Klingbeil, N.W., 135
Kobryn, P.A., 135
Kocatepe, K., 44
Kowalski, L., 194
Kwon, D., 82

Lahiri, A.K., 388
Lee, Y.-W., 61
Leskovšek, V., 328
Leu, D.-K., 287
Li, G.H., 274
Li, W., 1
Li, Y., 19
Lin, J.C., 1
Lin, Z.-C., 297
Liu, C., 278
Liu, J.-S., 278

Macodiyo, D.O., 234
Marcilla, A., 350
Mkaddem, A., 111
Muratoğlu, M., 211
Murayama, M., 358

Nagasawa, S., 358
Najafizadeh, A., 181
Nandi, A.K., 200
Newbery, A.P., 259
Nilsson, L., 218

Öberg, K., 119
Odjo-Omoniyi, A., 350
Ögel, B., 241
Oh, J.-S., 61
Ong, T.H., 379

Pang, J.Z., 274
Phaniraj, M.P., 388
Price, J.W.H., 76

Remadna, M., 67
Revel, P., 154
Rigal, J.F., 67
Ruiz-Femenia, R., 350

Sánchez-Soto, M., 369
Shao, Z.B., 247
Shateri, R., 181
Simone, G., 170
Sofuoglu, H., 148
Soyama, H., 234
Spence, A., 307, 317
Ssemakula, H., 119
Ståhlberg, U., 119
Sulaiman, S., 29, 34, 39
Sun, X.D., 247
Šuštaršič, B., 328

Tagliaferri, V., 170
Taherizadeh, A., 181
Takayama, H., 342
Tok, A.I.Y., 270

Übeyli, M., 241

Vijayaram, T.R., 29, 34, 39

Wang, C.Y., 247
Wang, G., 24
Wang, J.Z., 24
Wang, L.-D., 278
Wang, M.J., 274
Wang, Y., 283
Watanabe, T., 342
Wu, D.Z., 24

Xiao, K.Q., 9

Yamagata, D., 358
Yanagisawa, A., 342
Yang, Z., 283
Ye, L., 162
Yen, C., 1
Yilmaz, O., 211
Yu, D., 19
Yu, Y.D., 24
Yuen, C.W.M., 52
Yun, Y.-H., 61

Zhang, C., 283
Zhang, K.F., 24
Zhang, L.C., 9
Zhao, X.L., 270
Zhou, J., 19

Elsevier B.V.
doi:10.1016/S0924-0136(06)00683-2

ELSEVIER

Journal of Materials Processing Technology 178 (2006) 396–401

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 178

Abductive network
An abductive neural network approach to the design of runner dimensions for the minimization of wrappage in injection mouldings, 1
Al_2O_3
Novel synthesis of Al_2O_3 nano-particles by flame spray pyrolysis, 270
Alloying element loss
Oxidation during electric arc spray forming of steel, 259
Aluminium
Surface characterization of aluminum alloys after diamond turning, 154
Bearing composites made from aluminium and aluminium bronze chips, 188
Aluminium alloys
A new procedure using the microhardness technique for sheet material damage characterisation, 111
Joining of aluminum alloy to steel by friction stir welding, 342
Aluminium bronze
Bearing composites made from aluminium and aluminium bronze chips, 188
Aluminothermic reduction
Processing and characterization of ZrC-reinforced steel-based composites, 335
Analytical modeling
Analytical modeling of heat conduction for small scale resistance spot welding process, 251
Average particle size
Fabrication of nanometer-sized zinc oxide at low decomposing temperature, 247

Bellows expansion joint
Superplastic forming of bellows expansion joints made of titanium alloys, 24
Bubble Growth
Modeling pore growth in semi-solid alloy foams, 88

CAE analysis
Simulation of the gas-assisted injection molding process using a mid-plane model of a contained-channel part, 350
Calcination
Novel synthesis of Al_2O_3 nano-particles by flame spray pyrolysis, 270
Captive foundries
Foundry quality control aspects and prospects to reduce scrap rework and rejection in metal casting manufacturing industries, 39
Carbon steels
Thermo-mechanical modeling of two phase rolling and microstructure evolution in the hot strip mill. Part-II. Microstructure evolution, 388
Carburized steel
Optimization of cavitation peening parameters for fatigue performance of carburized steel using Taguchi methods, 234
Casting solidification
Numerical simulation of casting solidification in permanent metallic molds, 29
Cavitation peening
Optimization of cavitation peening parameters for fatigue performance of carburized steel using Taguchi methods, 234
CBN tool
Evolution during time of tool wear and cutting forces in the case of hard turning with CBN inserts, 67
Chemical mechanical polishing
Heat and its effects to chemical mechanical polishing, 82
Chip deformation
A calculational model of shear strain and strain rate within shear band in a serrated chip formed during high speed machining, 274
Chips
Bearing composites made from aluminium and aluminium bronze chips, 188
Coating
Wire drawing and coating using a combined geometry hydrodynamic unit: Theory and experiment, 98
Advance in fluidized bed coating: An experimental investigation on a performance polymer coating alloy, 170
Collapse
The shaping of a circular tube into a symmetric square-tube by finite-element modeling, 287
Combined geometry
Wire drawing and coating using a combined geometry hydrodynamic unit: Theory and experiment, 98
Compressed cold air
The effect of compressed cold air and vegetable oil on the subsurface residual stress of ground tool steel, 9
Compressibility
On the development of compressible pseudo-strain energy density function for elastomers. Part 1. Theory and experiment, 307
On the development of compressible pseudo-strain energy density for elastomers: Part 2 application to finite element, 317
Compressive residual stress
Simulation of multiple laser shock peening of a 35CD4 steel alloy, 162
Computer simulation
Simulation of the gas-assisted injection molding process using a mid-plane model of a contained-channel part, 350
Computer simulation software
Numerical simulation of casting solidification in permanent metallic molds, 29
Contact materials
Preparation of CuCr25 contact materials by vacuum induction melting, 283
Control charts
Foundry quality control aspects and prospects to reduce scrap rework and rejection in metal casting manufacturing industries, 39
Conventional hot-work tool steel
The influence of austenitizing and tempering temperature on the hardness and fracture toughness of hot-worked H11 tool steel, 328
Cooling curve analysis
Quantification of the microconstituents formed during solidification by the Newton thermal analysis method, 128

Elsevier B.V.
doi:10.1016/S0924-0136(06)00684-4

CuCr25 alloys
Preparation of CuCr25 contact materials by vacuum induction melting, 283

Damage
A new procedure using the microhardness technique for sheet material damage characterisation, 111
Damage theory
Dynamic fracture of manufactured powder compacted cylindrical components, 143
Deformations
Determination of residual stresses in metallic composites, 14
Deposit microstructure
Oxidation during electric arc spray forming of steel, 259
Design hierarchy
Optimizing sheet metal forming processes—Using a design hierarchy and response surface methodology, 218
Design of experiment
A technical note on the role of process parameters in predicting flow behavior of plasticine using design of experiment, 148
Diameter error compensation
PSO-based neural network optimization and its utilization in a boring machine, 19
Diamond tool
Surface characterization of aluminum alloys after diamond turning, 154
Diffusion bonding
Investigation on diffusion bonding characteristics of aluminum metal matrix composites (Al/SiCp) with pure aluminum for different heat treatments, 211
Drawing
Wire drawing and coating using a combined geometry hydrodynamic unit: Theory and experiment, 98
Droplet oxidation
Oxidation during electric arc spray forming of steel, 259
Dual matrix structure
Effect of martensite volume fraction and its morphology on the tensile properties of ferritic ductile iron with dual matrix structures, 44
Ductile iron
Effect of martensite volume fraction and its morphology on the tensile properties of ferritic ductile iron with dual matrix structures, 44

Effective strain
Close-die forging of large Cu-lids by a method of low force requirement, 119
Elastomer
On the development of compressible pseudo-strain energy density for elastomers: Part 2 application to finite element, 317
Elasto-plastic
The shaping of a circular tube into a symmetric square-tube by finite-element modeling, 287
Experiment
A new procedure using the microhardness technique for sheet material damage characterisation, 111
Experimental design
Optimising the gas-injection moulding of an automobile plastic cover using an experimental design procedure, 369
Experimental evaluation
On the development of compressible pseudo-strain energy density function for elastomers. Part 1. Theory and experiment, 307

2^6 Factorial design
A technical note on the role of process parameters in predicting flow behavior of plasticine using design of experiment, 148
Failure analysis of powder compacts
Dynamic fracture of manufactured powder compacted cylindrical components, 143
Failure strength
Stress analysis of wedged rupture in surface layer of coated paperboard, 358
Fatigue strength
Optimization of cavitation peening parameters for fatigue performance of carburized steel using Taguchi methods, 234
Feedstock
The effect of constitutive description of PIM feedstock viscosity in numerical analysis of the powder injection moulding process, 194
FEM
Thermo-mechanical modeling of two phase rolling and microstructure evolution in the hot strip mill. Part-II. Microstructure evolution, 388
FEM simulation
Stress analysis of wedged rupture in surface layer of coated paperboard, 358
Fiber matrix bonding
Fabrication of fiber reinforced metal matrix composites by squeeze casting technology, 34
Fiber reinforcement
Fabrication of fiber reinforced metal matrix composites by squeeze casting technology, 34
Finite element simulation
Simulation of multiple laser shock peening of a 35CD4 steel alloy, 162
Finite-element
Thermal process maps for predicting solidification microstructure in laser fabrication of thin-wall structures, 135
The shaping of a circular tube into a symmetric square-tube by finite-element modeling, 287
On the development of compressible pseudo-strain energy density for elastomers: Part 2 application to finite element, 317
Flashless forging
Close-die forging of large Cu-lids by a method of low force requirement, 119
Fluidized bed
Advance in fluidized bed coating: An experimental investigation on a performance polymer coating alloy, 170
Foam
Modeling pore growth in semi-solid alloy foams, 88
Fracture mechanics
Dynamic fracture of manufactured powder compacted cylindrical components, 143
Fracture toughness
The influence of austenitizing and tempering temperature on the hardness and fracture toughness of hot-worked H11 tool steel, 328
Friction
Evolution during time of tool wear and cutting forces in the case of hard turning with CBN inserts, 67
Friction coefficient
Inverse calculation of the friction coefficient for upsetting a cylindrical mild steel by the experimental load, 297
Friction stir welding
Joining of aluminum alloy to steel by friction stir welding, 342
FTIR-ATR
Surface characterisation of low temperature plasma-treated wool fibre, 52
Fuzzy logic controller
TSK-type FLC using a combined LR and GA: Surface roughness prediction in ultraprecision turning, 200

Gas-assisted injection molding
Simulation of the gas-assisted injection molding process using a mid-plane model of a contained-channel part, 350
Gas-injection moulding
Optimising the gas-injection moulding of an automobile plastic cover using an experimental design procedure, 369
Genetic algorithm
TSK-type FLC using a combined LR and GA: Surface roughness prediction in ultraprecision turning, 200
Grain flow
Comparison of mechanical and metallurgical properties of hollow and solid forged products, 181

Grain size
Close-die forging of large Cu-lids by a method of low force requirement, 119
GTAW process
A mathematical and computational model of furnaces for continuous steel strip processing, 379

Hard material
Evolution during time of tool wear and cutting forces in the case of hard turning with CBN inserts, 67
Hardness
The influence of austenitizing and tempering temperature on the hardness and fracture toughness of hot-worked H11 tool steel, 328
Heat
Heat and its effects to chemical mechanical polishing, 82
Heat conduction
Analytical modeling of heat conduction for small scale resistance spot welding process, 251
Heat treatments
Investigation on diffusion bonding characteristics of aluminum metal matrix composites (Al/SiCp) with pure aluminum for different heat treatments, 211
High speed machining
A calculational model of shear strain and strain rate within shear band in a serrated chip formed during high speed machining, 274
High-speed cutting
Evolution during time of tool wear and cutting forces in the case of hard turning with CBN inserts, 67
Hot embossing
Electrostatic bonding of a silicon master to a glass wafer for plastic microchannel fabrication, 278
Hot spots
Numerical simulation of casting solidification in permanent metallic molds, 29
Hot strip rolling
Thermo-mechanical modeling of two phase rolling and microstructure evolution in the hot strip mill. Part-II. Microstructure evolution, 388
Hot tears
Numerical simulation of casting solidification in permanent metallic molds, 29
Hydrodynamic
Wire drawing and coating using a combined geometry hydrodynamic unit: Theory and experiment, 98
Hyperelastic
On the development of compressible pseudo-strain energy density function for elastomers. Part 1. Theory and experiment, 307
Hypervelocity
On the development of compressible pseudo-strain energy density for elastomers: Part 2 application to finite element, 317

Identification
A mathematical and computational model of furnaces for continuous steel strip processing, 379
Infiltration
Fabrication of fiber reinforced metal matrix composites by squeeze casting technology, 34
Intercritical annealing
Effect of martensite volume fraction and its morphology on the tensile properties of ferritic ductile iron with dual matrix structures, 44
Intercritical deformation
Thermo-mechanical modeling of two phase rolling and microstructure evolution in the hot strip mill. Part-II. Microstructure evolution, 388
Interfacial reaction products
Fabrication of fiber reinforced metal matrix composites by squeeze casting technology, 34
Interferometry microscopy
Surface characterization of aluminum alloys after diamond turning, 154

Inverse problem
Inverse calculation of the friction coefficient for upsetting a cylindrical mild steel by the experimental load, 297

Joining of dissimilar metals
Joining of aluminum alloy to steel by friction stir welding, 342

Large strain
On the development of compressible pseudo-strain energy density for elastomers: Part 2 application to finite element, 317
Laser deposition
Thermal process maps for predicting solidification microstructure in laser fabrication of thin-wall structures, 135
Laser shock peening (LSP)
Simulation of multiple laser shock peening of a 35CD4 steel alloy, 162
Levenberg–Marquardt method
Inverse calculation of the friction coefficient for upsetting a cylindrical mild steel by the experimental load, 297
Linear regression
TSK-type FLC using a combined LR and GA: Surface roughness prediction in ultraprecision turning, 200
Liquid forging
Fabrication of fiber reinforced metal matrix composites by squeeze casting technology, 34
Low forging load
Close-die forging of large Cu-lids by a method of low force requirement, 119
Low temperature plasma
Surface characterisation of low temperature plasma-treated wool fibre, 52

Machinability
Effect of cutting speed on tool performance in milling of B_4C_p reinforced aluminum metal matrix composites, 241
Mandrel forging
Comparison of mechanical and metallurgical properties of hollow and solid forged products, 181
Martensite morphology
Effect of martensite volume fraction and its morphology on the tensile properties of ferritic ductile iron with dual matrix structures, 44
Martensite volume fraction
Effect of martensite volume fraction and its morphology on the tensile properties of ferritic ductile iron with dual matrix structures, 44
Mechanical properties
Comparison of mechanical and metallurgical properties of hollow and solid forged products, 181
Processing and characterization of ZrC-reinforced steel-based composites, 335
Metal matrix composites
Fabrication of fiber reinforced metal matrix composites by squeeze casting technology, 34
Investigation on diffusion bonding characteristics of aluminum metal matrix composites (Al/SiCp) with pure aluminum for different heat treatments, 211
Effect of cutting speed on tool performance in milling of B_4C_p reinforced aluminum metal matrix composites, 241
Metallic composites
Determination of residual stresses in metallic composites, 14
Metallurgical properties
Comparison of mechanical and metallurgical properties of hollow and solid forged products, 181
Microchannel
Electrostatic bonding of a silicon master to a glass wafer for plastic microchannel fabrication, 278
Microconstituent quantification
Quantification of the microconstituents formed during solidification by the Newton thermal analysis method, 128

Microfluidics
Electrostatic bonding of a silicon master to a glass wafer for plastic microchannel fabrication, 278
Microhardness
A new procedure using the microhardness technique for sheet material damage characterisation, 111
Microstructure
The influence of austenitizing and tempering temperature on the hardness and fracture toughness of hot-worked H11 tool steel, 328
Processing and characterization of ZrC-reinforced steel-based composites, 335
Mild steel
Inverse calculation of the friction coefficient for upsetting a cylindrical mild steel by the experimental load, 297
Milling
Effect of cutting speed on tool performance in milling of B_4C_p reinforced aluminum metal matrix composites, 241
Model
Simulation of the gas-assisted injection molding process using a mid-plane model of a contained-channel part, 350
Modelling
Optimising the gas-injection moulding of an automobile plastic cover using an experimental design procedure, 369
Mold filling
Simulation of the gas-assisted injection molding process using a mid-plane model of a contained-channel part, 350
Multi-layer feed-forward neural network
PSO-based neural network optimization and its utilization in a boring machine, 19
Multiple peening process
Simulation of multiple laser shock peening of a 35CD4 steel alloy, 162

Nano-particles
Novel synthesis of Al_2O_3 nano-particles by flame spray pyrolysis, 270
Nonlinear elasticity
On the development of compressible pseudo-strain energy density function for elastomers. Part 1. Theory and experiment, 307

Optimization
Optimizing sheet metal forming processes—Using a design hierarchy and response surface methodology, 218
A mathematical and computational model of furnaces for continuous steel strip processing, 379
Orthotropy
Stress analysis of wedged rupture in surface layer of coated paperboard, 358

Pad
Heat and its effects to chemical mechanical polishing, 82
Particle swarm optimization
PSO-based neural network optimization and its utilization in a boring machine, 19
Phase change
A mathematical and computational model of furnaces for continuous steel strip processing, 379
Phases
Bearing composites made from aluminium and aluminium bronze chips, 188
Physical modeling
A technical note on the role of process parameters in predicting flow behavior of plasticine using design of experiment, 148
Plastic
Electrostatic bonding of a silicon master to a glass wafer for plastic microchannel fabrication, 278
Plasticine
A technical note on the role of process parameters in predicting flow behavior of plasticine using design of experiment, 148
Polyacrylamide-gel
Fabrication of nanometer-sized zinc oxide at low decomposing temperature, 247
Polymer powder
Advance in fluidized bed coating: An experimental investigation on a performance polymer coating alloy, 170
Polymethylmethacrylate (PMMA)
Electrostatic bonding of a silicon master to a glass wafer for plastic microchannel fabrication, 278
Powder injection moulding
The effect of constitutive description of PIM feedstock viscosity in numerical analysis of the powder injection moulding process, 194
Powder technology
Dynamic fracture of manufactured powder compacted cylindrical components, 143
Process control
Analytical modeling of heat conduction for small scale resistance spot welding process, 251
Process monitoring
Analytical modeling of heat conduction for small scale resistance spot welding process, 251

Quality assurance
Foundry quality control aspects and prospects to reduce scrap rework and rejection in metal casting manufacturing industries, 39
Quality circle
Foundry quality control aspects and prospects to reduce scrap rework and rejection in metal casting manufacturing industries, 39
Quality control
Foundry quality control aspects and prospects to reduce scrap rework and rejection in metal casting manufacturing industries, 39

Radial forging
Comparison of mechanical and metallurgical properties of hollow and solid forged products, 181
Real contact area
Heat and its effects to chemical mechanical polishing, 82
Recrystallisation
Thermo-mechanical modeling of two phase rolling and microstructure evolution in the hot strip mill. Part-II. Microstructure evolution, 388
Residual stresses
The effect of compressed cold air and vegetable oil on the subsurface residual stress of ground tool steel, 9
Determination of residual stresses in metallic composites, 14
Resistance spot welding
Analytical modeling of heat conduction for small scale resistance spot welding process, 251
Response surfaces
Optimizing sheet metal forming processes—Using a design hierarchy and response surface methodology, 218
Rosenthal solution
Thermal process maps for predicting solidification microstructure in laser fabrication of thin-wall structures, 135
Roughness
Evolution during time of tool wear and cutting forces in the case of hard turning with CBN inserts, 67
Rubber
On the development of compressible pseudo-strain energy density function for elastomers. Part 1. Theory and experiment, 307
On the development of compressible pseudo-strain energy density for elastomers: Part 2 application to finite element, 317
Runner system
An abductive neural network approach to the design of runner dimensions for the minimization of wrappage in injection mouldings, 1

Saturated adsorption value
Surface characterisation of low temperature plasma-treated wool fibre, 52

Semi-Solid
Modeling pore growth in semi-solid alloy foams, 88
Serrated chip
A calculational model of shear strain and strain rate within shear band in a serrated chip formed during high speed machining, 274
Shear
Stress analysis of wedged rupture in surface layer of coated paperboard, 358
Shear band
A calculational model of shear strain and strain rate within shear band in a serrated chip formed during high speed machining, 274
Sheet metal forming
Optimizing sheet metal forming processes—Using a design hierarchy and response surface methodology, 218
Sheet steels
A new procedure using the microhardness technique for sheet material damage characterisation, 111
Simulated annealing
An abductive neural network approach to the design of runner dimensions for the minimization of wrappage in injection mouldings, 1
Simulation
The effect of constitutive description of PIM feedstock viscosity in numerical analysis of the powder injection moulding process, 194
Optimizing sheet metal forming processes—Using a design hierarchy and response surface methodology, 218
Optimising the gas-injection moulding of an automobile plastic cover using an experimental design procedure, 369
Sintering criterion
Bearing composites made from aluminium and aluminium bronze chips, 188
Slurry
Heat and its effects to chemical mechanical polishing, 82
Solidification microstructure
Thermal process maps for predicting solidification microstructure in laser fabrication of thin-wall structures, 135
Solid–liquid interface
Numerical simulation of casting solidification in permanent metallic molds, 29
Specific surface area
Fabrication of nanometer-sized zinc oxide at low decomposing temperature, 247
SPF
Superplastic forming of bellows expansion joints made of titanium alloys, 24
Square-tube
The shaping of a circular tube into a symmetric square-tube by finite-element modeling, 287
Squaring
The shaping of a circular tube into a symmetric square-tube by finite-element modeling, 287
Statistical quality control (SQC)
Foundry quality control aspects and prospects to reduce scrap rework and rejection in metal casting manufacturing industries, 39
Steel
Joining of aluminum alloy to steel by friction stir welding, 342
Steel-based composite
Processing and characterization of ZrC-reinforced steel-based composites, 335
Strain dependency
Stress analysis of wedged rupture in surface layer of coated paperboard, 358
Strain energy density
On the development of compressible pseudo-strain energy density function for elastomers. Part 1. Theory and experiment, 307
Sum of squares error (SSE)
PSO-based neural network optimization and its utilization in a boring machine, 19
Surface
Surface characterisation of low temperature plasma-treated wool fibre, 52
Surface characterization
Surface characterization of aluminum alloys after diamond turning, 154
Surface finish
The effect of compressed cold air and vegetable oil on the subsurface residual stress of ground tool steel, 9
Surface grinding
The effect of compressed cold air and vegetable oil on the subsurface residual stress of ground tool steel, 9
Surface layer
Stress analysis of wedged rupture in surface layer of coated paperboard, 358
Surface roughness
TSK-type FLC using a combined LR and GA: Surface roughness prediction in ultraprecision turning, 200
Synthesis
Novel synthesis of Al_2O_3 nano-particles by flame spray pyrolysis, 270
Processing and characterization of ZrC-reinforced steel-based composites, 335

Taguchi methods
Optimization of cavitation peening parameters for fatigue performance of carburized steel using Taguchi methods, 234
Temperature
Close-die forging of large Cu-lids by a method of low force requirement, 119
A mathematical and computational model of furnaces for continuous steel strip processing, 379
Tensile strength of a joint
Joining of aluminum alloy to steel by friction stir welding, 342
Thermal spray
Oxidation during electric arc spray forming of steel, 259
Titanium
Thermal process maps for predicting solidification microstructure in laser fabrication of thin-wall structures, 135
Titanium alloy
Superplastic forming of bellows expansion joints made of titanium alloys, 24
Tool steel
The effect of compressed cold air and vegetable oil on the subsurface residual stress of ground tool steel, 9
Total quality control (TQC)
Foundry quality control aspects and prospects to reduce scrap rework and rejection in metal casting manufacturing industries, 39
TSK-type fuzzy rule
TSK-type FLC using a combined LR and GA: Surface roughness prediction in ultraprecision turning, 200
Turning
Evolution during time of tool wear and cutting forces in the case of hard turning with CBN inserts, 67

Ultra precision machining
Surface characterization of aluminum alloys after diamond turning, 154
Ultraprecision turning
TSK-type FLC using a combined LR and GA: Surface roughness prediction in ultraprecision turning, 200
Upsetting
Inverse calculation of the friction coefficient for upsetting a cylindrical mild steel by the experimental load, 297

Vacuum induction melting
Preparation of CuCr25 contact materials by vacuum induction melting, 283
Vacuum-heat treatment
The influence of austenitizing and tempering temperature on the hardness and fracture toughness of hot-worked H11 tool steel, 328
Vegetable oil
The effect of compressed cold air and vegetable oil on the subsurface residual stress of ground tool steel, 9

Viscosity
The effect of constitutive description of PIM feedstock viscosity in numerical analysis of the powder injection moulding process, 194

Warp
An abductive neural network approach to the design of runner dimensions for the minimization of wrappage in injection mouldings, 1

Wear
Evolution during time of tool wear and cutting forces in the case of hard turning with CBN inserts, 67
Effect of cutting speed on tool performance in milling of B_4C_p reinforced aluminum metal matrix composites, 241

Wedge
Stress analysis of wedged rupture in surface layer of coated paperboard, 358

Welding
A mathematical and computational model of furnaces for continuous steel strip processing, 379

Wettability
Fabrication of fiber reinforced metal matrix composites by squeeze casting technology, 34

Wool
Surface characterisation of low temperature plasma-treated wool fibre, 52

XPS
Surface characterisation of low temperature plasma-treated wool fibre, 52

X-ray diffraction
Surface characterization of aluminum alloys after diamond turning, 154

Ziconium carbide
Processing and characterization of ZrC-reinforced steel-based composites, 335

ZnO
Fabrication of nanometer-sized zinc oxide at low decomposing temperature, 247